

DEPARTMENT OF ENGINEERING
CITY OF SAN BERNARDINO
J" STREET
-7th STREET to 8th STREET-
IMPROVEMENT
Curb, Gutter & Paving
SUBMITTED BY
APPROVED
DRAWING NO
2740
INTERSECTION DETAIL
North and South Alleys
SCALE ~ 1"=6'
STREET
ALLEY
PLAN
SCALE ~ 1"=40'
BENCH MARK:
Screw S/W Corner J" Street & 8th Street - Elev. 1100.00' M.S.L.
BENCH MARK - Screw - N.E. Curb Return
J" Street & 7th Street - Elev. 1094.82' M.S.L.
TYPICAL CROSS-SECTION DETAIL
SCALE ~ Horiz. - 1"=6'
Vert. - 1"=0.6'
Resurface with 0.10' Minimum PMS
Construct 0.21' PMS
Construct PCC Curb & Gutter, Type "B"
Grade to Property Line
East Property Line
West Property Line
PROFILE
SCALE ~ Horiz. 1"=4'
Vert. 1"=40'
EAST CURB LINE
CENTER LINE
WEST CURB LINE
Approximate present surface of ground
Top of Curb Grade to which work shall be done
GENERAL NOTES
1- All work embodied on this plan shall be done in conformity with applicable provisions of Standard Specifications No. 2271 and Standard Drawings No. 2321 on file in the Office of the City Engineer.
2- Recess curbs for driveways where necessary. Exact location and width to be determined in the field. Widths not to exceed City Standards.
3- Obstructions (markings on plan) as directed by Engineer.
⊕ to be removed under this contract.
⊕ to be removed and relocated under this contract. (Foreign-Street signs shall be Class "B" concrete same as original installation.)
⊕ to be removed or relocated by others.
⊕ to be removed and deposited on adjacent property.
4- Payment for all removals, earthwork and watering shall be included in prices paid for other contract items and no additional compensation will be allowed therefor.
5- Adjust all sewer manholes to grade after completion of paving.