


PROFILE


Scale: Horiz. 1" = 40'
Vert. 1" = 4'

BENGO MARK
for showing curve of ground
1830 01/23 01/23 01/23
1830 01/23 01/23 01/23



GENERAL NOTES

1. Fill work embankment on this plan shall be done in conformity with applicable provisions of Standard Specifications No. 227, revised October 1946.
2. All flow connection drains shall be constructed on an upward grade of no less than 1% from the main sewer.
3. 8" x 8" pipe with a connecting sewer to be constructed and shown on this plan.
4. Sewer Manholes shall be constructed of either "Wedge Leaf" "Spand" "Self" or "Band Seal", "Whitford Clay" type of "Standard" type.
5. Sewer Manholes shall be constructed of either "Wedge Leaf" "Spand" "Self" or "Band Seal", "Whitford Clay" type of "Standard" type.
6. Manholes or underground structures shall be shown on drawings and shall be assumed as being erected on complete of the City Engineer's instructions for the amount of work to be done in showing such structures. The construction shall comply with the provisions of all applicable specifications, standards and the most assumed with liability to the designer's contract.
7. Manholes may be built for "Prevent" Construction.
8. Details of construction shall be as shown on drawings in the field.



APPROVED: *[Signature]* MAY 18 1944
 CIVIL ENGINEER
 ENGINEER NO. 21559
 DRAWING NO. 2793
 DRAWN BY: *[Signature]*
 CHECKED BY: *[Signature]*
 SHEET 4 OF 4
 RECOMMENDED

DEPARTMENT OF ENGINEERING
 CITY OF SAN BERNARDINO
 MOUNTAIN AVENUE
 SANITATION DISTRICT


D-159

NOT CONSTRUCTED

PROFILE



Scale: Horiz. 1" = 40'
Vert. 1" = 4'

BENCH MARK
For bench mark of ground
1830.00 at Sta. 1+00
1834.00 at Sta. 1+40



GENERAL NOTES

1. All work embodied on these plans shall be done in conformity with applicable provisions of Standard Specifications No. 2271 revised October 1946.
2. All new construction shown shall be constructed on an approved grade of no less than 1% from the Man. Sewer 12" x 12" pipe with a connecting sewer to be constructed as shown on this plan.
3. Sewer Manholes shall be constructed of either "Wedge Leaf" "Spent" or "Bond Seal" "Whitford Clay" pipe of standard "Standard" type.
4. Sewer Manholes shall be constructed of either "Wedge Leaf" "Spent" or "Bond Seal" "Whitford Clay" pipe of standard "Standard" type.
5. Sewer Manholes shall be constructed of either "Wedge Leaf" "Spent" or "Bond Seal" "Whitford Clay" pipe of standard "Standard" type.
6. Manholes shall be constructed of either "Wedge Leaf" "Spent" or "Bond Seal" "Whitford Clay" pipe of standard "Standard" type.
7. All structures shall be constructed in accordance with the City of San Bernardino Specifications for Sewer Structures.
8. The contractor shall be responsible for obtaining all necessary permits and licenses for the construction of the sewer system.
9. The contractor shall be responsible for obtaining all necessary permits and licenses for the construction of the sewer system.
10. The contractor shall be responsible for obtaining all necessary permits and licenses for the construction of the sewer system.



NOT CONSTRUCTED

APPROVED	DATE	1944
CITY ENGINEER	CLYDE L. HARRIS	
ENGINEER CIVIL ENGINEER NO. 23553		
DRAWING NO.	DRAWN BY	RAY
2793	CHECKED BY	DAVE
SHEET 4 OF 4	RECOMMENDED	

DEPARTMENT OF ENGINEERING
CITY OF SAN BERNARDINO
MOUNTAIN AVENUE
SANITATION DISTRICT