



GENERAL NOTES



1. All work embodied on these plans shall be done in conformity with applicable provisions of Standard Specification 194271 and Standard Drawings 118 232 on file in the office of the City Engineer.
2. All house connection sewers shall be constructed on or above grade of the parcel from the main sewer and shall extend from the main sewer to the property line.
3. 6" x 8" Vitrified Clay Pipe connecting sewer to be constructed one above the 15'.
4. All house connections on approximate and exact location shall be determined in the field.
5. Locations of underground utilities on not to be assumed to be exact on complete and the City assumes no responsibility for errors or omissions in showing such locations. The Contractor shall verify or ascertain the location of all underground utilities and he must assume all liability for damages caused by his operations.
6. Manholes to be constructed & below grade on both streets.
7. Manhole signs shall not be required. Manhole frames and covers shall be aluminum framing the 4'-10" diam. height or approved equal.
8. Sewer Manhole shall be constructed of either "Wedge-Block", "Sewer Seal" or "Band Seal" Vitrified Clay Pipe.
9. Sewer Lateral shall be constructed of "Wedge-Block", "Sewer Seal", "Band Seal", Ceramic Head Vitrified Clay Pipe, or Cast Iron Pipe, or Absorbite Cement Pipe.



APPROVED	1963	DEPARTMENT OF ENGINEERING
CITY ENGINEER		CITY OF SAN BERNARDINO
REGISTERED CIVIL ENGINEER NO. 2256		SEWER
DRAWING NO. 2913	DRAWN BY G.C.P.G.	PENNSYLVANIA AVENUE
CHECKED BY DEAN		BETWEEN NINTH ST. and TENTH ST.
SHEET 1 OF 9 SHEETS		

GENERAL NOTES

1. All work embodied on these plans shall be done in conformity with applicable provisions of Standard Specification 194271 and Standard Drawings 118 232 on file in the office of the City Engineer.
2. All house connection sewers shall be constructed on or above grade of the parcel from the main sewer and shall extend from the main sewer to the property line.
3. 6" x 8" pipes with 4" vitrified clay pipe connecting sewer to be constructed are shown thru 10'.
4. All house connections on approximate and exact location shall be determined in the field.
5. Locations of underground utilities are not to be assumed to be exact on complete and the City assumes no responsibility for errors or omissions in showing such locations. The Contractor shall verify or ascertain the location of all underground utilities and he must assume all liability for damages caused by his operations.
6. Manholes to be constructed & below grade on both streets.
7. Manhole signs shall not be required. Manhole frames and covers shall be aluminum framing the 4'-10" steel height or approved equal.
8. Sewer Manhole shall be constructed of either "Wedge-Block", "Sewer Seal" or "Band Seal" Vitrified Clay Pipe.
9. Sewer Lateral shall be constructed of "Wedge-Block", "Sewer Seal", "Band Seal", Ceramic Pipe, Vitrified Clay Pipe, or Cast Iron Pipe, or Absorbite Cement Pipe.



Scale 1" = 40'

Scale

Horiz. 1" = 40'

Profile

Vert. 1" = 4'

PLAN

7

6

5

4

3

2

1

0

BENCH MARK
Top of Walk Street and
Pennsylvania Avenue
E1 11631.6 M.S.L.

1160.00

1170.00

APPROVED	1963	DEPARTMENT OF ENGINEERING
CITY ENGINEER		CITY OF SAN BERNARDINO
REGISTERED CIVIL ENGINEER NO. 2256		SEWER
DRAWING NO. 2913	DRAWN BY G.C.O'G	PENNSYLVANIA AVENUE
CHECKED BY DEAN		BETWEEN NINTH ST. and TENTH ST.
SHEET 1 OF 9 SHEETS		