



Temporary Alley Connection  
(To Be Removed)




Temporary Alley Connection  
(To Be Removed)



NOTES:

1. All work embodied on these plans shall be done in conformity with applicable provisions of specifications No. 6711.
2. All Standard Cross sections of curb, gutter and pavement are as per City of San Bernardino, Dept of Engineering Std Drawings No. 2321.
3. 8"x4" Wyes, with connecting sewers to be constructed, show on Plans, Fig. 4.
4. All vitrified clay house connections shall be constructed on an upward grade of 2 per cent from Main Sewer and shall extend from the Main Sewer to the Property Line.
5. Sewer traps to be constructed of either "Wedge-Lock", "Speed Seal", or "Bond" cast iron pipe or asbestos cement pipe. Sewer traps shall be constructed of either "Wedge-Lock", "Speed Seal", or "Bond" cast iron pipe.
6. All house connections, are approximate and exact locations shall be determined in the field.
7. Manhole frames and covers to be constructed by Sewer Contractor. Curb and Official Grade shown and upon completion of paving, the Raising Contractor shall adjust manhole frames and covers to said Official Grade.
8. Manhole steps shall not be required. Manhole Frames and covers shall be Aluminex frames No. A-1190 (Silver Knight) or approved equal.
9. The distance and location of any underground utility, pipes or structures shown on these plans are obtained by a search of the utility files except as shown on this Map. The Contractor is required to take due precautionary measures to protect the utility lines shown and any other lines of record or not shown on this Map.
10. Bench Mark U.S.C. 445 of 1929 - about 40 ft. N.W. by A.T.S.E.P. from Union corner of same foundation and 7 1/2 ft. southwest of S.W. rail of S.W. tract, said stake stamped "709 725 Elev 805.51" (Add 2.28 for S.W. City datum).
11. Soil tests by a recognized soil testing lab may be required to determine the adequacy of the indicated street section, sufficient to support the proposed sewer lines. The thickness of the indicated surfacing and/or the surfacing thickness shall be increased.


Don E. Miller R.C.E. No. 8750  
 DEPARTMENT OF ENGINEERING  
 CITY OF SAN BERNARDINO  
 IMPROVEMENT PLANS  
 TRACT No. G798  
 SENIORITY BY CAMPBELL MILLER  
 APPROVED: [Signature] 63 DAY  
 CHECKED: [Signature] A.C.  
 REGISTERED CIVIL ENGINEER NO. 850 D.W.  
 3010  
 5-1  
 005




NOTES:

- All work embodied on these plans shall be done in conformity with applicable provisions of specifications No. 6711.
- All Standard Cross sections of curb, gutter and pavement are as per City of San Bernardino, Dept of Engineering, STD Drawings No. 2321.
- 8"x4" Wyes, with connecting sewers to be constructed, show on Plans, Fig. 4.
- All vitrified clay house connections shall be constructed on an upward grade of 2 per cent from Main Sewer and shall extend from the Main Sewer to the Property Line.
- Sewer Manholes to be constructed of either "Wedge-Lock", "Speed Seal", or "Bond" sewer pipe or asbestos cement pipe. Sewer Manholes shall be constructed of either "Wedge-Lock", "Speed Seal", or "Bond" sewer pipe. All house connections, one approximate and exact locations shall be determined in the field.
- All Manhole frames and covers to be constructed by Sewer Contractor. Curb and Official Grade shown and upon completion of paving, the Raising Contractor shall adjust manhole frames and covers to said Official Grade.
- Manhole steps shall not be required. Manhole Frames and covers shall be Aluminized steel, No. A-1190 (Silver Knight) or approved equal.
- The distance and location of any underground utility, pipes or structures shown on these plans are obtained by a search of all available utility records as shown on this Map. The Contractor is required to take due precautionary measures to protect the utility lines shown and any other lines of record or not shown on this Map.
- Survey Mark U.S.C. 445 of 1909 - about 40 ft. N.W. by A.T.S.E. P.D. from Union corner of same foundation and 7.5 ft. southwest of S.W. rail of S.W. tract, said disk stamped "709 725 Elev 805.57 (Add 2.28 for S.W. City Beam) to be used as a check on this Map.
- Soil tests by a recognized soil testing lab may be required to determine the adequacy of the indicated street section, sufficient to support the proposed sewer lines. The thickness of the indicated surfacing and/or the surfacing thickness shall be increased.


Temporary Alley Connection  
(To Be Removed)



Temporary Alley Connection  
(To Be Removed)



INDEX MAP  
SCALE: 1" = 200'



Don E. Miller R.C.E. No. 8750  
 DEPARTMENT OF ENGINEERING  
 CITY OF SAN BERNARDINO  
 IMPROVEMENT PLANS  
 TRACT No. 6798  
 SUBMITTED BY: CAMPBELL MILLER  
 APPROVED: [Signature] 6/3 2010  
 CHECKED BY: [Signature] 5/1 2010  
 REGISTERED CIVIL ENGINEER, NO. 850 D.W.