



- NOTES:
1. ALL WORK SHOWN ON PLAN SHALL BE DONE IN COMPLIANCE WITH ORD. NO. 2676, CITY OF SAN BERNARDINO.
 2. PRIOR TO ANY GRADING WORK A GRADING PERMIT SHALL BE SECURED FROM THE CITY ENGINEER'S OFFICE PER SECTION 7005(4) OF ORD. NO. 2676.
 3. ESTIMATE OF EXISTING QUANTITIES.
 4. BEARING WALLS - SAN BERNARDINO CITY B.M. # 33 CORNER WITH BEARS COR. 33.50' H.I.E. & INT. 39.75' OF WASHINGTON AVE. ELEV. 1394.65
 5. ELEVATIONS GIVEN = EXISTING ELEVATION
 6. MAXIMUM SLOPES: CUT 1:2.1 - FILL 2:1
 7. MINIMUM 15' FROM PROPERTY TO TOE OF SLOPES TYPICAL.
 8. SEE SEC. 7015 ORD. NO. 2676

SCALE 1" = 30'

TRACT NO. 7644

THOMAS C. DOWLES
 SUITE 104 515-652-1125
 130 S. ROBERTSON BLVD.
 BENTON HILLS, CALIFORNIA 92511

LOCKWOOD ENGINEERING & SURVEYING COMPANY, INC.
 340 W. HOODMAN AVE.
 ANAHEIM, CALIFORNIA 92806

DATE: 11/14/05
 SHEET: 1 OF 1
 CITY: SAN BERNARDINO