


APPROXIMATE QUANTITIES (TRACT 7554)

1. Curb & gutter - type 8 (return)	1575.86	lin. ft.
2. Gutter - type 4 (return)	3100.00	lin. ft.
3. Gutter & spandrel	1585.00	sq. ft.
4. A.C. paving 3" thick	48096	sq. ft.
5. Imported base material, 2" - 80 in. ft.	48096	sq. ft.
6. Imported base material, 2" - 80 in. ft.	48096	sq. ft.
7. Damage structure	2500.00	sq. ft.
8. A.C. Paving	2500.00	sq. ft.
9. Concrete	1.00	lin. ft.
10. A.V.C.P. sewer	1.00	lin. ft.
11. A.V.C.P. sewer	1.00	lin. ft.
12. A.V.C.P. sewer	1.00	lin. ft.
13. A.V.C.P. sewer	1.00	lin. ft.
14. A.V.C.P. sewer	1.00	lin. ft.
15. A.V.C.P. sewer	1.00	lin. ft.

- GENERAL NOTES**
- All work stipulated on these plans shall be done in conformity with applicable provisions of specifications No. 8271.
 - Exact locations of sewer laterals to be determined by the field.
 - Manhole frames & cover to be constructed by the sewer contractor. 6" beam office grade shown, and upon completion of paving, the paving contractor shall adjust manhole frame & cover to finish grade.
 - Construct 3" A.C. pipe with I.B.M. as shown on plans.
 - All 4" top R.R. pipe & 6" top R.R. pipe shall be constructed on an upward grade of 2.0% from the main sewer and shall extend from the main sewer to the property line.
 - Sewer laterals shall be constructed of either "Wedge-Lock" Speed-Seal or "Band-Seal" pipe or asbestos cement pipe, means & methods shall be as shown on plans.
 - Manhole frames shall be constructed of cast iron or steel, and shall be constructed in accordance with the specifications of the City of San Bernardino, Dept. of Engineering, Std. Drawing No. 8271.
 - Manhole frames shall not be modified; manhole frame covers shall be aluminum framing, No. A-1170 or approved equal.
 - Ornamental street lighting system in accordance with Ordinance No. 1984 shall be installed as shown on the plans.
 - A prime coat shall be applied as directed by the City Engineer prior to installing A.C. paving.
 - Excavate road excavation based on adjacent property shall not exceed 17 ft in depth per requirements of City Ord. No. 2846.



QUANTITIES - REVISION C

1. Curb & gutter - type 8	3450.00
2. Gutter - type 4	6900.00
3. Gutter & spandrel	1585.00
4. A.C. paving 3" thick	6900.00
5. Imported base material, 2" - 80 in. ft.	6900.00
6. Imported base material, 2" - 80 in. ft.	6900.00
7. Damage structure	2500.00
8. A.C. Paving	2500.00
9. Concrete	1.00
10. A.V.C.P. sewer	1.00
11. A.V.C.P. sewer	1.00
12. A.V.C.P. sewer	1.00
13. A.V.C.P. sewer	1.00
14. A.V.C.P. sewer	1.00
15. A.V.C.P. sewer	1.00

NESTLE, BRUDIN & STONE
CIVIL ENGINEERS
San Bernardino, Calif.

CITY OF SAN BERNARDINO
DEPARTMENT OF ENGINEERING
TRACT 7554
INDUSTRIAL ROAD

APPROVED: [Signature] DATE: 11-18-57
DRAWING NO. 3472
SHEET 1 OF 2
CHECKED BY: [Signature]
RECOMMENDED BY: [Signature]