




- GENERAL NOTES**
1. All work embodied on this plan shall be done in conformity with applicable provisions of Standard Specifications No. 222 (Federal Edition, 1965) and Standard Drawings No. 2321 on file in the Office of the City Engineer.
 2. Commencing from indicated height with pipe connecting sewer at its constructed as shown on plan this is 1425.00.
 3. All letters shall be constructed on a minimum upward grade of 2% from the manhole shown and shall extend from the manhole sewer to the property line with a minimum cover of 5' at the property line. shall be determined in the field.
 4. All sewer connections shown on this plan are approximate and shall be determined in the field.
 5. The vertical and location of any underground utility pipes or structures shown on this plan were obtained by a survey of available records.
 6. The contractor is required to take the proper measuring measures to protect the utility lines and any other lines and structures shown on this plan. The Engineer shall assume no responsibility for damage to any underground facilities.
 7. Manholes shown shall not be opened. Manhole frames and covers shall be illuminated during the 5:00 p.m. to 9:00 p.m. period.
 8. All sewers shall be constructed of either 'Woods' brand 'Sewer' or 'Sewer' brand 'Sewer' Clay Pipe, or 'Rivets' brand pipe.

BENCH MARK
 Point of 42nd St. West and Sepulveda Ave.
 EL. 1322.61 M.S.L.



APPROVED: _____ DATE: 6-23-23
 CITY ENGINEER
 DRAWING NO. 23629
 SHEET 1 OF 1
 CHECKED BY: [Signature]
 RECOMMENDED BY: [Signature]





DEPARTMENT OF ENGINEERING
 CITY OF SAN BERNARDINO
 42ND ST.
 From a point 251.5' West of Sepulveda Ave to a point 250.0' North of 42nd St. on Sepulveda Ave.
 (Sewer)



GENERAL NOTES

1. All work embodied on this plan shall be done in conformity with applicable provisions of Standard Specifications No. 222 (Federal Edition, 1965) and Standard Drawings No. 2221 on file in the Office of the City Engineer.
2. Commencing from indicated high water of pipe connecting sewer at the indicated as shown on plan this is 10'.
3. All letters shall be constructed on a minimum upward grade of 2% from the manhole, sewer and shall extend from the manhole sewer to the property line with a minimum cover of 2' at the property line. shall be determined in the field.
4. All sewer connections shown on this plan are approximate and shall be determined in the field.
5. The vertical and horizontal of any underground utility pipes or structures shown on this plan were obtained by a survey of available records.
6. The contractor is required to take the appropriate measures to protect the utility lines and any other lines and structures shown on this plan. The Engineer shall assume no responsibility for damage to any underground facilities.
7. Manholes shown shall not be required. Manhole frames and covers shall be furnished by the contractor.
8. All sewers shall be constructed of either 'Wigglehead' brand cast iron pipe or 'Standard' brand Clay Pipe, or 'Rivets' brand pipe.

RECORD MARK
 Point of 42nd St. West and Sepulveda Ave.
 EL. 1325.61 M.S.V.



APPROVED	DATE	DEPARTMENT OF ENGINEERING
CITY ENGINEER	5-23-23	CITY OF SAN BERNARDINO
REGISTERED CIVIL ENGINEER NO. 21553		42ND ST
DRAWING NO. 3629		From a point 251 ft West of Sepulveda Ave to a point 250 ft
CHECKED BY (Signature)		North of 42nd St on Sepulveda Ave.
SHEET 1 OF 1 SHEETS		(Sever)