




PLAN SCALE
1" = 40'

PROFILE SCALES
HORIZ. 1" = 40'
VERT. 1" = 4'



GENERAL NOTES

- All work shown on this plan shall be done in conformity with applicable provisions of Standard Specifications No. 2211, revised Oct. 1966 and Standard Drawings No. 2321 on file in the office of the City Engineer.
- All standard cross sections of curb, gutter and sidewalks are as per City of San Bernardino.
- Department of Engineering Standard Drawings No. 2321, 1 & B.
- The existing and location of any underground utility pipes or structures known on these drawings shall be shown as indicated. Contractors is required to take due precautionary measures to protect the utility lines and any other lines not of record or not shown on these drawings.
- Manhole steps shall not be required. Manhole frame and covers shall be Aluminum Foundry.
- Sewer main shall be constructed of either "Wedge-Lock", "Speed-Seal", "Band-Seal", "Witford Clay Pipe", No. 4-11/2 or approved equal.
- Sewer lateral shall be constructed of "Wedge-Lock", "Speed-Seal", "Band-Seal" or "Ceramic Wedge-Witford Clay Pipe".
- Sewer lateral shall be constructed on an upward grade of two percent from the sewer main to the property line.



BENCH MARK
Screw in S.W. curb, reading of
Rancho A-2: 1.1111 ST. CUS
(S. datum per City of San
Bernardino)
Elev. 1111.10

ANDRESEN ENGINEERING CO.
REGISTERED CIVIL ENGINEER NO. 4853
POMONA, CALIFORNIA 91766
(714) 923-1595

APPROVED: *[Signature]*
REGISTERED CIVIL ENGINEER NO. 4853
SHEET 1 OF 1
DESIGNED BY: NH
RECOMMENDED

CITY OF SAN BERNARDINO
DEPARTMENT OF ENGINEERING
IMPROVEMENT PLANS
CHESTNUT ST.
From 17th Street to 18th West of State Street